

Message

From: Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]
Sent: 6/13/2017 5:11:26 PM
To: Emilsson, Gunnar [EmilssonGR@cdmsmith.com]
CC: Coan, Sean [CoanSM@cdmsmith.com]; Erin Formanek [Formanekek@cdmsmith.com]
Subject: RE: CFAC Mods 10 and 11

Hi Gunnar,

Please give me a call. I am leaving at 3:00 today and will be on work travel until Friday.

Mike

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Emilsson, Gunnar [mailto:EmilssonGR@cdmsmith.com]
Sent: Tuesday, June 13, 2017 9:45 AM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Coan, Sean <CoanSM@cdmsmith.com>; Erin Formanek <Formanekek@cdmsmith.com>
Subject: CFAC Mods 10 and 11

Mike:

Sean and I had a call with CFAC/Roux yesterday to discuss comments on the proposed slug testing. We agreed to their proposed modifications, and consequently recommend that you sign and approve Modification 11, which I have attached for your convenience.

Regarding Modification 10, the surficial soil asbestos sampling and analysis, Erin had some follow-up questions to Roux's response. See attached.

Gunnar Emilsson, P.G., P.E., BCEE
Project Manager
CDM Smith
50 West 14th St., Suite 200, Helena, MT 59601
T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982
emilssongr@cdmsmith.com
cdmsmith.com